

What is the role of the laser when using XR20-W?


Overview

The laser has multiple roles when used with an XR20-W. These can be summarised as:

- 1. A non contact reference
- 2. Measuring positional error
- 3. Distinguishing when a reading can be taken.

Laser roles


1. Providing a non contact reference that allows the unit to counter rotate machine **movement.** This provides a reference that has no mechanical friction which reduces mechanical hysteresis. The method uses the same principle as angular interferometry to measure the change in angle.




2. Measuring positional error using the optic on the top of the XR20-W.


Positional error occurs when a machine rotates and the optics counter rotate by the same amount*. The difference between the position of the optics and the machine is the error in the machine. The error is measured using interferometry through the optics located on top of the XR20-W. The change in length of the two beams is detected by the laser and the measured error is calculated.

* This assumes that there are no errors from the XR20-W.





3. Monitoring machine movement to distinguish when the machine is stationary and capable of recording a position. Due to machine vibration and other environmental factors the setup will never remain perfectly stationary. The laser monitors when the machine has reached its target position by recording when the system is within angle α . It also recognises when the machine is 'stationary' by monitoring the laser readings until they have become stable.





This page is intentionally left blank

New Mills, Wotton-under-Edge Gloucestershire, GL12 8JR United Kingdom

T +44 (0) 1453 524524 F +44 (0) 1453 524901 E uk@renishaw.com

www.renishaw.com



About Renishaw

Renishaw is an established world leader in engineering technologies, with a strong history of innovation in product development and manufacturing. Since its formation in 1973, the company has supplied leading-edge products that increase process productivity, improve product quality and deliver cost-effective automation solutions.

A worldwide network of subsidiary companies and distributors provides exceptional service and support for its customers.

Products include:

- · Additive manufacturing and vacuum casting technologies for design, prototyping, and production applications
- · Dental CAD/CAM scanning systems and supply of dental structures
- · Encoder systems for high-accuracy linear, angle and rotary position feedback
- · Fixturing for CMMs (co-ordinate measuring machines) and gauging systems
- · Gauging systems for comparative measurement of machined parts
- · High-speed laser measurement and surveying systems for use in extreme environments
- · Laser and ballbar systems for performance measurement and calibration of machines
- · Medical devices for neurosurgical applications
- · Probe systems and software for job set-up, tool setting and inspection on CNC machine tools
- · Raman spectroscopy systems for non-destructive material analysis
- · Sensor systems and software for measurement on CMMs
- · Styli for CMM and machine tool probe applications

For worldwide contact details, visit www.renishaw.com/contact



RENISHAW HAS MADE CONSIDERABLE EFFORTS TO ENSURE THE CONTENT OF THIS DOCUMENT IS CORRECT AT THE DATE OF PUBLICATION BUT MAKES NO WARRANTIES OR REPRESENTATIONS REGARDING THE CONTENT. RENISHAW EXCLUDES LIABILITY, HOWSOEVER ARISING, FOR ANY INACCURACIES IN THIS DOCUMENT.

2018 Renishaw plc. All rights reserved.

Benishaw reserves the right to change specifications without notice. RENISHAW and the probe symbol used in the RENISHAW logo are registered trade marks of Renishaw plc in the United Kingdom and other countries. apply innovation and names and designations of other Renishaw products and technologies are trade marks of Renishaw plc or its subsidiaries. All other brand names and product names used in this document are trade names, trade marks or registered trade marks of their respective owners.



Part no.: H-9920-0433-02-A Issued: 05.2018