

# **RLD & RLU System matching**

### **Overview**

The RLE system is supplied with a 'laser unit', matched to either one or two 'detector heads'. Renishaw perform an optimising process known as "system matching" to configure the detector head to a specific laser unit. This application note explains the purpose of this process and the requirement for maintaining the same RLD/RLU configuration.


### **Detailed Description**

Due to manufacturing tolerances the optical power output from any RLU laser fibre is not predictable and will not necessarily be the same as that from another RLU laser fibre. This applies equally to the two fibres of a dual axis system as it does from one RLU laser to another. A label showing the supplied RLD serial numbers is affixed to the rear of the RLU laser unit. Additionally, each fibre and detector head cable is fitted with a colour coded marker indicating which is Axis 1 (yellow marker) or Axis 2 (red marker).

Since the signal strength obtained is directly proportional to the optical output power from the fibre, each RLU laser unit is matched to either one or two RLD detector heads with which it will be used prior to shipping to make a complete RLE fibre optic laser encoder system. The matching process is designed to give the best chance of achieving 100% signal strength (equivalent to 1V measured on the appropriate signal strength output pin on the AUX I/O connector).

Renishaw strongly recommends that the RLD(s) that are supplied with the RLU are kept with that RLU to ensure optimal performance. The consequences of changing the RLD connected to a RLU or fibre will include:

- Low signal strength (below the acceptable threshold) will trigger a beam low error and the axis status LED will appear continuously amber.
- High signal strength (exceeds 120%) will trigger a beam saturation error and the axis status LED will appear continuously amber. It may also cause interpolation errors if using the digital quadrature outputs.
- Low signal strength will make system alignment difficult, especially at longer distances.
- Excessive DC offset (figure 1) and unequal sine and cosine levels (figure 2) will cause non-linearity errors (also known as interpolation error or sub-divisional error or SDE).



For more information please visit www.renishaw.com/lasercalsupport

### Summary

System matching of RLU and RLD is essential to ensure correct system performance. For this reason it is also essential that RLD heads are not moved from one system to another, doing this will require the heads to be matched to the new laser unit.

### Caution

Under normal circumstances there should be no requirement to adjust the gains of the RLD. Adjustments to the RLD can cause system performance errors as described on the previous page. Only perform adjustment to the RLD's if the engineer has been correctly trained in the procedure and is authorised to do so.

In the unlikely event of a RLD detector head malfunctioning, ideally the replacement RLD should be matched to the RLU laser unit by adjusting its signal gain and therefore ensuring optimal performance. Detailed instructions for adjustment of a RLD are provided in the RLE installation guide (M-5225-0568, section B.4 on pages 64 – 66). However, it should be remembered that adjustment of the detector unit gain is a skilled task. Incorrect setting of these potentiometers can stop the position feedback and beam-obstruct detection system from working correctly. This may result in generation of invalid position feedback signals without the usual error signal output, and may cause open loop motion of the axis.



This page is intentionally left blank

#### Renishaw plc

New Mills, Wotton-under-Edge, Gloucestershire GL12 8JR United Kingdom

### T +44 (0) 1453 524524 F +44 (0) 1453 524901 E uk@renishaw.com

www.renishaw.com

### RENISHAW apply innovation<sup>™</sup>

### **About Renishaw**

Renishaw is an established world leader in engineering technologies, with a strong history of innovation in product development and manufacturing. Since its formation in 1973, the company has supplied leadingedge products that increase process productivity, improve product quality and deliver costeffective automation solutions.

A worldwide network of subsidiary companies and distributors provides exceptional service and support for its customers.

**Products include:** 

- Dental CAD/CAM scanning and milling systems.
- Encoder systems for high accuracy linear, angle and rotary position feedback.
- Laser and ballbar systems for performance measurement and calibration of machines.
- Medical devices for neurosurgical applications.
- Probe systems and software for job set-up, tool setting and inspection on CNC machine tools.
- Raman spectroscopy systems for non-destructive material analysis.
- Sensor systems and software for measurement on CMMs (co-ordinate measuring machines).
- Styli for CMM and machine tool probe applications.

### **Renishaw worldwide**

### Australia

T +61 3 9521 0922 E australia@renishaw.com

### Austria

- T +43 2236 379790
- E austria@renishaw.com

#### Brazil

- T +55 11 4195 2866
- E brazil@renishaw.com

### Canada

France

Germany

T +1 905 828 0104 E canada@renishaw.com

### The People's Republic of China

T +86 21 6180 6416 E china@renishaw.com

### **Czech Republic**

T +33 1 64 61 84 84

T +49 7127 9810

E france@renishaw.com

E germany@renishaw.com

T +420 548 216 553 E czech@renishaw.com

## T +65 6897 5466

South Korea

- E southkorea@renishaw.com
- T +852 2753 0638 E hongkong@renishaw.com

### Hungary

Hong Kong

- T +36 23 502 183
- E hungary@renishaw.com

### India

- T +91 80 6623 6000
- E india@renishaw.com

### Indonesia

- T +62 21 2550 2467 E indonesia@renishaw.com
- Israel
- T +972 4 953 6595
- E israel@renishaw.com

RENISHAW HAS MADE CONSIDERABLE EFFORTS TO ENSURE THE CONTENT OF THIS DOCUMENT IS CORRECT AT THE DATE OF PUBLICATION BUT MAKES NO WARRANTIES OR REPRESENTATIONS REGARDING THE CONTENT. RENISHAW EXCLUDES LIABILITY, HOWSOEVER ARISING, FOR ANY INACCURACIES IN THIS DOCUMENT.

ReINSHAW besives the right to charge specifications without notes REINSHAWS and the probe emblem used in the REINSHAW logo are registered trademarks of Renishaw pic in the UK and other countries. apply innovation, Productive Process Pyramid, Productive Process Patterns, Productivity+, AXISet, Rengage, Trigger Logic, ToolWise, Sprint, Microhole, Passiveseal, SwarfStop, Equator and Versatile gauging are trademarks of Renishaw pic. All other brand names and product names used in this document are trade names, service marks, trademarks or registered trademarks of their respective owners.

#### Spain

- T +34 93 663 34 20
- E spain@renishaw.com

#### Sweden

T +46 8 584 90 880 E sweden@renishaw.com

#### Switzerland

T +41 55 415 50 60 E switzerland@renishaw.com

### Taiwan

T +886 4 2473 3177 E taiwan@renishaw.com

### Thailand

T +66 2 746 9811 E thailand@renishaw.com

### Turkev

T +90 216 380 92 40 E turkiye@renishaw.com

### UK (Head Office) T +44 1453 524524

E uk@renishaw.com

### USA

T ±1 847 286 9953 E usa@renishaw.com

### For all other countries

- T +44 1453 524524
- E international@renishaw.com



Poland T +48 22 577 11 80 E poland@renishaw.com

Italy

Japan

Malavsia

T +39 011 966 10 52

E italy@renishaw.com

T +81 3 5366 5316

T +60 3 5631 4420

The Netherlands

T +31 76 543 11 00

E japan@renishaw.com

E malaysia@renishaw.com

E benelux@renishaw.com

**Russia** T +7 495 231 16 77

E russia@renishaw.com

### Singapore

### E singapore@renishaw.com

Slovenia T +386 1 527 2100

E mail@rls.si

T +82 2 2108 2830